

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Serial No. : 10/653,821)
)
Filing Date: September 3, 2006)
)
Group Art Unit: 3754)
)
Applicant: Nathan Lee Gray)
)
Confirmation No.: 4123)
)
Examiner: James F. Hook)
)
For: **Limb For Breathing Circuit**)
)
Attorney Docket No.:)
Case 134 (1171/41357))

TRANSMITTAL OF REPLACEMENT DRAWINGS

BOX: ISSUE FEE
Commissioner for Patents
P. O. Box 1450
Alexandria , Virginia 22313-1450

Sir:

The Notice of Allowance and the Notice of Allowability were mailed on September 8, 2008.
In the Notice of Allowability the Examiner does not indicate that formal drawings are required.
Applicant encloses replacement drawings which are better quality than those filed with the
application. Please find enclosed:

Sheet one	-	Figs. 1, 2;
Sheet two	-	Fig. 3;
Sheet three	-	Fig. 4;
Sheet four	-	Fig. 5;

Sheet five	-	Fig. 6;
Sheet six	-	Fig. 7;
Sheet seven	-	Fig. 8;
Sheet eight	-	Fig. 9;
Sheet nine	-	Fig. 10;
Sheet ten	-	Fig. 11; and
Sheet eleven	-	Fig. 12.


Applicant believes that these replacement drawings correspond to the pending drawings, and as such do not introduce any new matter.

Accordingly, it is respectfully requested that these replacement drawings be accepted and entered into the file of the above-captioned application. It is also requested that these replacement drawings be included in the printed Patent.

Respectfully submitted,

Date: *November 24, 2008*

By:



Raiford A. Blackstone, Jr. Reg. No. 25,156
Linda L. Palomar Reg. No. 37,903

TREXLER, BUSHNELL, GIANGIORGI,
BLACKSTONE & MARR, LTD.
105 West Adams Street 36th Floor
Chicago, Illinois 60603
Telephone (312) 704-1890

Transmittal of Formal Drawings
Serial No. 11/653,821
Page 2
A57179.WPD